Logitech Rally Conference Camera (960-001227)

Studio-quality video with an Ultra-HD imaging system. Rally Camera delivers brilliantly sharp video, outstanding colour and exceptional optical accuracy at resolutions up to 4K.



Packed with advanced optics and breakthrough technology enhancements,Rally Camera delivers peerless performance, exceptional versatility, and easy deployment. Rally Camera combines world-class Logitech optics and 4K sensor with whisper-quiet mechanical pan, tilt, and zoom functions and high-end materials suitable for any professional setting. With razor- sharp 15X HD zoom, expansive 90° field of view, and truly phenomenal video quality, Rally Camera captures every person in the room with amazing clarity. Logitech RightSight camera control automatically moves and adjusts the lens to comfortably frame participants in rooms of all shapes and sizes while Logitech RightLight technology optimizes light balance to emphasize faces and render natural-looking skin tones, even in dim or backlit conditions. Rally Camera offers versatile mounting and cabling options for easy installation and integrates seamlessly with existing audio infrastructure.

Key Selling Points

Top-of-the-line stand alone PTZ video camera Up to 4K Ultra-HD video quality at 30 frames per second Logitech RightSight camera control Logitech RightLight technology Premium Logitech-engineered glass lens Autofocus RF remote control 3 camera presets

Product Features

Top-of-the-line stand alone PTZ video camera

Ideal for professional video collaboration in meeting spaces of any size, from conference rooms to training facilities, boardrooms, and lecture halls.

Up to 4K Ultra-HD video quality at 30 frames per second

Rally Camera delivers HD and Ultra HD resolutions with brilliantly sharp video,outstanding color reproduction, and exceptional optical accuracy.

Logitech RightSight camera control

Automatically moves and adjusts the lens to comfortably frame meeting participants in rooms of all shapes and sizes. Enjoy handsfree convenience or take manual control: participants are always in view and optimally pictured on-screen.

Logitech RightLight technology

Whether in low light or bright sunshine/backlit conditions, RightLight technology with Wide Dynamic Range (WDR) optimizes light balance and prioritizes faces over objects and surfaces to render natural-looking skin tones.

Premium Logitech-engineered glass lens

Large, light-gathering lens meets high optical standards and provides exceptional sharpness, color, speed, and resolution.

Autofocus

Automatically ensure that people and objects are clearly in focus wherever the camera is pointed.

RF remote control

Operate Rally Camera from anywhere in the room, no need to point the remote directly at the camera.

3 camera presets

Define up to three preset locations (presets 1,2,and Home) for the camera view and return to any of them with the push of a button on the remote control.

Main Specifications

Product Description	Logitech Rally - conference camera
Device Type	Conference camera - pan / tilt / zoom
Camera Mount Type	Surface mount, wall mount
Dimensions (WxDxH)	15.2 cm x 15.2 cm x 18.25 cm
Connectivity Technology	Wired
Camera	Colour
Optical Zoom	15 x

Max Resolution	3840 x 2160
Frame Rate (max)	60 frames per second
Video Modes	720p,1080p,4K,1440p,900p
Focal Length Control	Motorized zoom
Focus Adjustment	Automatic
Panning Range (degree)	-90 to +90
Tilting Range (degree)	-90 to +50
Interfaces	USB 3.0
Cables Included	1 - USB-C cable - external - 2.2 m
Features	RightLight technology,Wide Dynamic Range (WDR),security lock slot (cable lock sold separately),LED indicator,3 preset positions
Manufacturer Warranty	2-year warranty

Extended Specification

General

Device Type	Conference camera
Camera Mount Type	Surface mount, wall mount
Connectivity Technology	Wired
Width	15.2 cm
Depth	15.2 cm
Height	18.25 cm
Camera	
Туре	Colour - pan / tilt / zoom
Max Digital Video Resolution	3840 x 2160
Video Modes	720p,1080p,4K,1440p,900p
Video Capture	3840 x 2160 @ 30 fps 1920 x 1080 @ 60 fps
Features	RightLight technology,Wide Dynamic Range (WDR),security lock slot (cable lock sold separately),LED indicator,3 preset positions
Lens Construction	
Туре	Motorized zoom
Optical Zoom	15 x
Focus Adjustment	Automatic
Horizontal Field of View (degree)	90
Panning	
Range (degree)	-90 to +90
Tilting	
Range (degree)	-90 to +50
Interfaces	
Computer Interface	USB 3.0

Miscellaneous

Included Accessories	Remote control
Cables Included	1 x USB-C cable - external - 2.2 m
Compliant Standards	Plug and Play
Power	
Power Device	Power adapter - external
Software / System Requirements	
OS Required	Google Chrome OS, Apple MacOS X 10.10 or later, Microsoft Windows 7 / 8.1 / 10
Manufacturer Warranty	
Service & Support	Limited warranty - 2 years
Product data is provided by CNET,we do not v	warrant the accuracy and completeness of the material contained in this data sheet