



Colour wireless LED 4-in-1 printer

MFC-L3710CW



PRINT



COPY



SCAN



FAX



WIRELESS

www.brother.eu

Colour wireless LED 4-in-1 printer

This 4-in-1 colour multifunction machine has quick and quiet print speeds of up to 18 pages per minute, as well as fast copy, scan and fax functions. The user friendly 9.3cm colour touchscreen allows you easy access to features, including personalised shortcuts for your most used functions. With easy to set up wireless network and the option to print straight from your mobile, this machine keeps you connected.

MFC-L3710CW



Key Features:

- Fast print speeds of up to 18 pages per minute
- Large paper capacity of 250 sheets
- Wireless connectivity
- 50 sheet Auto Document Feeder (ADF)
- Easy to use 9.3cm colour touchscreen
- Easily print from your mobile or tablet
- Up to 1,000 pages* inbox toners

Don't add to the office noise

Within a busy office environment, you don't need any additional noise to distract you from your work. The MFC-L3710CW prints up to 18 pages per minute in full colour at under 45dB, which is classed as quieter than your daily office conversation. These industry leading specifications, make this colour printer perfect for desktop working.

Add some colour to your business

Business isn't always black and white, so why not add a splash of colour. The MFC-L3710CW offers up to 2,400dpi print quality, and uses LED technology to produce high quality professional prints. Colour doesn't stop at your printouts, this machine has a full colour 9.3cm touchscreen for quick and easy access to features.

Easy to set up, easy to use

This reliable desktop device is ready to use straight from the box, supported by the up to 1,000 pages* inbox toners, and easy to connect wireless network. Combine this with quick print options from both your phone and tablet, and the 50 sheet Automatic Document Feeder (ADF) for quick scanning and copying, this machine is ready to support even the most demanding office needs.

Save time and money

These desktop devices are fast, reliable and great value. The built in 250 sheet paper capacity allows you to keep working longer without having to replenish the paper tray. By using the high yield supplies, you won't have to spend time changing your toner as often, as well as achieving a competitive cost per page for both colour and mono. By boosting productivity, and reducing any down time, your office can run more smoothly.

General

Technology

Electrophotographic
LED

Processor

Cortex-A9 800MHz
Sub: ARM946 133MHz

Wireless Network

IEEE 802.11b/g/n

Control Panel

9.3cm colour touchscreen

Memory

512MB

Local Interface

Hi-Speed USB 2.0

Mobile Print

Print from your mobile devices
to your Brother printer

Print

Print Speed (A4)

Up to 18PPM
(Pages per minute)
Colour & Mono

Resolution

2,400 dpi (600 x 2400)

Quiet Mode

A mode to reduce the printing
noise by reducing the print
speed to 12ppm

FPOT (First Print Out Time)

Less than 15.5 seconds from
ready mode

Warm Up Time

Less than 28 seconds from
sleep mode

Print Languages

PCL6, BR-Script3
PDF Version 1.7, XPS
Version 1.0

Embedded Fonts (PCL)

73 scalable fonts,
12 bitmap fonts

Embedded Fonts (Postscript)

66 scalable fonts

Embedded Barcodes (PCL)

*Code39, Interleaved 2 of 5,
FIM (US-PostNet) Post Net
(US-PostNet) EAN-8,
EAN-13, UPC-A, UPC-E,
Codabar ISBN (EAN) ISBN
(UPC-E) Code128 (set A, set B,
set C) EAN128 (set A, set B, set
C) Code93 GS1Databar MSI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16
or 25 A4 pages into just
one A4 page
(Mac, up to 2, 4, 6, 9, or 16)

Poster Printing⁴

Enlarge 1 A4 page into a poster
using 4, 9, 16 or 25 A4 pages

Watermark Printing⁴

Watermark your documents
with predefined text or with your
own user-defined messages

ID Printing⁴

Add identification to your
printed documents (date & time,
short custom message or
PC username)

Manual 2-Sided Print⁴

Manual 2-sided printing
(recommended for media not
supported by automatic 2-sided
print)

Configurable Shortcuts

Create up to 18 personalised
shortcuts for a quick and easy
access to your regularly print,
copy, scan and fax functions

Booklet Printing⁴

Print documents in A5
booklet format using automatic
or manual 2-sided print

Print Profiles³

Store your favourite driver
settings as profiles to easily
recall them

Print Text In Black⁴

Converts all text in your
documents to black when
printed

Printer Drivers

Windows[®]

Windows[®] 10
(32 & 64 bit editions)
Windows[®] 8
(32 & 64 bit editions)
Windows[®] 7
(32 & 64 bit editions)
Windows[®] Server 2016
(32 & 64 bit editions)*
Windows[®] Server 2012,
2012R2 & 2008R2*
Windows[®] Server 2008
(32 & 64 bit editions)*

Macintosh⁵

macOS v10.11.6, 10.12.x,
10.13.x

Linux⁵

CUPS, LPD/LPRng
(32 & 64 bit editions)

PostScript Universal Printer Driver⁵

Driver for Windows[®] that
enables you to print to any
network or locally-connected
Brother laser printer that
supports PostScript

PCL Driver⁵

Generic PCL XL driver

* Windows[®] Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of
printing and are subject to change.

Brother is a registered trademark of Brother
Industries Ltd. Brand product names are
registered trademarks or trademarks of their
respective companies.

Paper Handling

Paper Input

Standard Tray - 250 sheets
Automatic Document Feeder (ADF) - 50 Sheets
Manual feed slot - 1 sheet

Paper Output

150 sheets Face Down (80g/m²)
1 sheet face-up (straight paper path)

Media Type & Weights Standard Tray

Plain & Recycled paper (between 60 - 163g/m²)

Media Sizes Standard Tray

A4, Letter, A5, A5 (Long Edge), A6, Executive

Media Type & Weights ADF

Plain & Recycled paper (between 60 - 105g/m²)

Media Sizes ADF

Width 105 to 218 mm, Length 148 to 357.6 mm

Media Type & Weights Manual feed slot

Plain, Recycled, Bond, Label, Envelope paper (between 60 - 163g/m²)

Media Sizes Manual feed slot

Width 76.2 to 216 mm, Length 116 to 355.6 mm
Envelope; COM-10, DL, C5, Monarch

Envelope & Label Printing

Yes, from the manual feed slot: support for 1 envelope / sheet

Mobile and Web Connectivity

Brother iPrint&Scan (Android)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch

Brother iPrint&Scan (Windows® Phone)

Print from and scan to a smart phone running the Windows® Phone Operating System

Brother Print&Scan (Windows® 8, 10 & RT)

Print from and scan to a Windows® 8, 10 or Windows RT Tablet

Google Cloud Print 2.0

Print most common file types from any Google Cloud Print enabled application

Apple AirPrint

Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin

Print from Android devices without a dedicated App

Mopria

Print most common file types from Mopria supported Android devices

Brother Apps⁸

Print creative center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy scan to E-mail

Web Connect⁸

Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™ OneNote

Copy

Print Speed (A4)

Up to 18CPM (Copy per minute)
Colour & Mono

FCOT (First Copy Time Out)

Less than 17.5 seconds from ready mode Colour & Mono

Resolution

Up to 600 x 600dpi

Multi-Copying/Stack/Sort

Makes up to 99 copies of each page / Stacks or Sorts

Enlargement/Reduction Ratio

Reduce or Increase document sizes from 25% to 400% in 1% increments

N in 1 Copying

Allows the user to compress 2 or 4 pages on to a single A4 sheet

2in1 ID Copying

Allows the user to copy both sides of an ID card to a single A4 sheet

Grey Scale

256 shades of grey (8 bit)

Receipt Copying

Produces clearer copies of receipts

Enlarge Text Copy⁸

Makes reading copied documents easier if the size of the text on the original document is small

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Scan	Scanner Type CIS (Contact Image Sensor)	Scan Resolution from Scanner Glass Up to 1,200 x 2,400dpi	Colour Depth 48 bit color Processing (Input) 24 bit color Processing (Output)
	Colour & Mono Scanning Yes	Interpolated Scan Resolution Up to 19,200 x 19,200dpi	Grey Scale 16bit color Processing (Input) 8bit color Processing (Output)
	Scan Speed Mono 27ipm (images per minute)	Scan Resolution from ADF Up to 600 x 600dpi	
	Scan Speed Colour 21ipm (images per minute)		

Scanner Functions	Scan to E-mail Scan and share documents via e-mail server	Scan to Network Folder Scan documents to a nominated folder on your network without using a Windows PC	Scan to SharePoint^{4&7} Scan documents directly into SharePoint
	Scan to OCR Scan documents directly into your word processing application for instant editing	Scan to FTP Scan documents directly to a FTP server	Scan to Searchable PDF Scan documents to searchable PDF files
	Scan to Image Scan into your preferred image editing software	Scan Profile³ Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings	Auto Deskew Yes
	Scan to File Scan to a file on your computer		Base Colour Removal Yes
			ID Scan Yes
		1 to 2 Scan Yes	

Scanner Drivers	Windows[®] TWAIN & WIA Windows [®] 10 (32 & 64 bit editions) Windows [®] 8 (32 & 64 bit editions) Windows [®] 7 (32 & 64 bit editions)	Macintosh⁵ TWAIN macOS v10.11.6, 10.12.x, 10.13.x	Linux⁵ SANE (32 & 64 bit editions)

Fax	Fax Modem 33,600bps (Super G3)	Distinctive Ring Detection (UK & Denmark only) An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones	Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
	PC Fax Send^{3&8} and Receive^{4&8} Send and Receive faxes directly from your PC	Error Correction Mode (ECM) The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)	Broadcasting Send the same fax message up to 250 locations
	Memory Transmission Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)		Grey Scale 256 shades (8 bit) of grey are available for faxing
	Out of Paper Reception Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)		

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Fleet Management Tools

Unattended Installer⁴

Ability to centrally deploy and customise our drivers and software

MSI Installer⁴

Modular installers that can be distributed through Active Directory®

BRAdmin Light^{4&5}

LAN/WAN management software

Embedded Web Server

Web based print management software embedded onto the device

Driver Deployment Wizard^{4 &5}

Easily create print drivers for hassle free deployment over your network

PrintSmart Cost Control

Monitor and control printing costs for all Brother and 3rd party devices

For more information on PrintSmart Solutions visit:

www.brother.eu

Software

Brother iPrint&Scan (Windows & Mac)⁵

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC

Nuance® PaperPort 14 SE⁵

Document management & sharing program

Network and Security

Wireless Network

IEEE 802.11b/g/n (Infrastructure Mode)

IEEE 802.11g/n (Wi-Fi Direct)

Wireless Network Security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)
*Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos

Wireless Setup Support

Wi-Fi Protected Setup (WPS)

Wireless Applications

Vertical Pairing

Wi-Fi Direct™

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan)

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

Setting Lock

Secures access to the devices control panel by locking it

Secure Function Lock 3.0

Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users

Secure Print

Protect print jobs with a 4 digit release code required at the device in order for them to be printed

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Supplies and Accessories

Inbox Toner
1,000 pages C/M/Y/BK

Standard Yield Toner
1,000 Pages C/M/Y/BK
(TN-243)

High Yield Toner
3,000 Pages BK
2,300 Pages C/M/Y
(TN-247)

Drum Unit (DR-243CL)
18,000 Pages
(1 page / job)

Belt Unit (BU-223CL)
Approx. 50,000 pages
(2 page / job)

Waste Toner Box (WT-223CL)
Approx. 50,000 pages
(5 page / job)

Dimensions and Weights

Without Carton (WxDxH)
410 x 475 x 414 mm -22.5kg

With Carton (WxDxH)
589 x 523 x 568 mm - 26.7kg

Duty Cycles

Recommended Monthly
300 to 1,500 pages monthly
print volume

Maximum Monthly⁶
Up to 30,000 pages monthly
print volume

Environment

Power Consumption
Printing - 400W, Ready - 80W,
Quiet Mode - 280W,
Sleep - 9.7W,
Deep Sleep - 1.2W, Off - 0.04W

TEC Value
0.9 kWh/Week

Sound Pressure Level
Printing - 45dB(A),
Ready - 33dB(A),
Quiet Mode - 43dB(A)

Sound Power
Printing - 5.92B(A) Mono /
5.86B(A) Colour
Ready - 4.67B(A),
Quiet Mode - 5.71B(A) Mono /
5.73B(A) Colour,
Deep Sleep - Inaudible

Power Saving
This enables the printer to
consume less energy when not
in use

Toner Saving
This reduces the toner usage
and helps to reduce the total
cost of printer ownership

Energy Star
Yes

GS Mark
Yes

Eco Mode
Yes



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.